00000  $11 \qquad \begin{array}{c} \left( \frac{g}{GPS} \right) \end{array}$ WCD **4**0 21 CRT WCD GPS 12 16 Internetwork GPS GPS Browser Client 7 18 11 (GPS) Database Manager Web Server Server WCD CRT 7 Fig. 1A. 위 Cartridges Database Database Points of Interest 20 ~ 22

ĵ

% } √<u>1000</u> 27 ~ 26 \ 11 GPS GPS 24 Fig. 1B. 23 25 /

Fig. 2B.




Fig. 4.






Fig. 5A.

35





Fig. 5B.








Fig. 7.

<u>80</u>



8



```
105 <cartridges> <artridges> <
```

• • </related>

</zones>

</objects>
</nbesty>

√npcs√


• /even

</mbes></rantridges>

Fig. 10. Start <u>110</u> 111 Download cartridge Download points of interest and other data 112 / (optional) Define Global 113 Cartridge Settings Check and Update User Status and 114 History Check and Verify 115 -**Location Status** Check and Verify 116 Cartridge Status Check and Queue 117 **Conditions Execute Queued** 118 **Actions** No Done? 119 -Yes End

Fig. 11.

<u>120</u>








Fig. 13.










Fig. 16.






Fig. 17.




Fig. 18.






Fig. 19.




Fig. 20. Define <u>240</u> Global Cartridge Settings 241 Define zones 242 Define items Define events 243 Define non-player 244 characters Define cartridge 245 initalization settings Compile cartridge 246 -Return

Fig. 21.




Fig. 22.




Fig. 23.

<u>270</u>




Fig. 24.




Fig. 25.

<u>290</u>




Fig. 26.

